


# WIRE SHELF

A unique hi-tec wire shelving system which is attractive, versatile and user-friendly.

- Large selection of shelf designs and sizes
- Uprights available in 100mm increments from 100 mm to 2.5 m
- Shelves are height adjustable in increments of 50 mm
- Can be delivered in knockdown form
- Available in a variety of finishes - including Chrome-Plated, Galvanised and Powder Coated



## Assembly detail:

The uprights which have grooves at 50 mm increments are fitted into the tapered collars welded in the corners of shelves.

- A plastic split-cone is fitted over the upright at the desired height
- The tapered collar in the shelf is fitted over the tapered split cone to form a secure union



## S Connectors

- Allow you to add on to 1st bay using common upright

## Rectangular Shelves

- Lip can be up or down

|                  |                 |
|------------------|-----------------|
| 1200 mm x 450 mm | 600 mm x 600 mm |
| 1200 mm x 350 mm | 600 mm x 450 mm |
| 900 mm x 450 mm  | 600 mm x 350 mm |
| 900 mm x 350 mm  | 600 mm x 275 mm |
| 800 mm x 300 mm  |                 |



## Curved Front Shelves

- Curved Front Shelves are measured at the widest point of the curve
- Ideal for snacks
- Gondola ends


|   |
|---|
| 1200 mm x 550 mm (Front) x 450 mm (Sides) |
| 900 mm x 550 mm (Front) x 450 mm (Sides)  |
| 900 mm x 450 mm (Front) x 350 mm (Sides)  |
| 600 mm x 420 mm (Front) x 350 mm (Sides)  |
| 450 mm x 400 mm (Front) x 350 mm (Sides)  |



## Downslope Shelves - Flat Angle

- 100 mm angle back to front
- Ideal for bread, cakes, confectionery, wicker baskets

|                  |
|------------------|
| 1200 mm x 450 mm |
| 1200 mm x 350 mm |
| 900 mm x 450 mm  |
| 900 mm x 350 mm  |
| 600 mm x 450 mm  |
| 600 mm x 350 mm  |



## Downslope Shelves - Deep Angle

- 200 mm angle from back to front
- 120 mm Front Lip
- Ideal for magazines, sweets, chocolates, wine etc.

|                  |
|------------------|
| 1200 mm x 450 mm |
| 1200 mm x 350 mm |
| 900 mm x 450 mm  |
| 900 mm x 350 mm  |
| 600 mm x 450 mm  |
| 600 mm x 350 mm  |



## Cross Merchandise Units

- Narrow Shelves can be placed in the aisles next to Gondola ends

|                 |
|-----------------|
| 900 mm x 275 mm |
| 600 mm x 275 mm |
| 450 mm x 275 mm |



## Bread Trollies

- Downslope Shelves 900x 600 or 900x 450
- 100 mm Rubber Swivel Castors

|                  |
|------------------|
| 8 Tier 1700 mm H |
| 7 Tier 1500 mm H |
| 6 Tier 1300 mm H |
| 5 Tier 1100 mm H |

\* Heights excluding castors




## New Cantilever Bread Trollies

- Heavy duty upright 41 mm diameter
- Shelf size 900 mm x 575 mm

|                     |
|---------------------|
| 1700 mm H - 7 Shelf |
| 1500 mm H - 6 Shelf |
| 1300 mm H - 5 Shelf |

\* Heights excluding castors



## Tube Clamp for joining uprights



## Centre Gondola Units

Centre Gondolas have high visual impact when strategically placed in the store.

- Can be used as till impulse units
- Ideal for candy, magazines and hanging stock

### Centre Shelves- Flat or Double Side Sloping

- Half round end shelves both sides
- 100 mm rubber swivel castors

|                                    |            |
|------------------------------------|------------|
| Centre Shelves - Flat or Downslope | 1200 x 600 |
| Centre Shelves - Flat or Downslope | 900 x 600  |
| Half Round Shelves                 | 600 x 320  |

\* Heights excluding castors



### Centre Shelves- Flat or Double Side Sloping

- Half round end shelves 1 side
- Utility bars and hooks 1 side
- 100 mm rubber swivel castors

|                                    |            |
|------------------------------------|------------|
| Centre Shelves - Flat or Downslope | 1200 x 600 |
| Centre Shelves - Flat or Downslope | 900 x 600  |
| Half Round Shelves                 | 600 x 320  |

\* Heights excluding castors



### Centre Shelves- Flat or Double Side Sloping

- Half round ends 1 side
- Downslope end shelves 1 side
- 100 mm rubber swivel castors

|                                    |            |
|------------------------------------|------------|
| Centre Shelves - Flat or Downslope | 1200 x 600 |
| Centre Shelves - Flat or Downslope | 900 x 600  |
| Half Round Shelves                 | 600 x 320  |

\* Heights excluding castors

## Utility Trolleys

- General purpose trolleys
- Handle 1 side
- Catering
- Stock picking
- 100 mm Rubber swivel castors

|  |
|--|
| 850 mm H x 900 mm W x 600 mm D - 3 Shelf |
| 850 mm H x 900 mm W x 600 mm D - 2 Shelf |
| 850 mm H x 900 mm W x 450 mm D - 3 Shelf |
| 850 mm H x 900 mm W x 450 mm D - 2 Shelf |





## Basket Trolleys


- Multi purpose trolleys
- Bakeries - Bread Rolls and Loaves
- Stock picking
- 100 mm Rubber swivel castors

|  |
|--|
| 850 mm H x 900 mm W x 450 mm D - 2 Basket  |
| 850 mm H x 900 mm W x 600 mm D - 2 Basket  |
| 1150 mm H x 900 mm W x 450 mm D - 3 Basket |
| 1150 mm H x 900 mm W x 600 mm D - 3 Basket |
| 1550 mm H x 900 mm W x 450 mm D - 4 Basket |
| 1550 mm H x 900 mm W x 600 mm D - 4 Basket |



## Standard Till Impulse Units

- The modern trend is to guide customers through an impulse queue to the tills
- Units can have straight shelves, downslope shelves, utility bars and hooks or a combination of shelves
- Common size till impulse units 1200 mm H x 900 mm W x 350 mm D



Unit A

|                                 |
|---------------------------------|
| 1200 mm H x 900 mm W x 350 mm D |
| 1 Straight Shelf top            |
| 3 Downslope Shelf bottom        |



Unit B

|                                 |
|---------------------------------|
| 1200 mm H x 900 mm W x 350 mm D |
| 4 Downslope Shelves             |



### Unit C Snacks

|                                 |
|---------------------------------|
| 1200 mm H x 900 mm W x 450 mm D |
| 4 Curved Front Shelves          |
| Double Rails                    |
| Front and Back                  |



### Unit D Biltong / Hanging Stock

|                                 |
|---------------------------------|
| 1200 mm H x 900 mm W x 350 mm D |
| 2 Downslope Shelves Bottom      |
| 3 Utility Rails top             |
| 25 Double Utility Hooks 200 mm  |

### Unit E

|                                 |
|---------------------------------|
| 1200 mm H x 900 mm W x 350 mm D |
| 4 Straight Shelves              |



### Unit F Charcoal / Firelighter

|                                 |
|---------------------------------|
| 1200 mm H x 900 mm W x 450 mm D |
| Top Shelf for Firelighters      |

### Unit G Mixed Till Unit


|                                 |
|---------------------------------|
| 1200 mm H x 900 mm W x 350 mm D |
|---------------------------------|





## Point of Sale Displays

- Combining various components to create peg and shelf combos
- Ideal for Garage Forecourts and convenience stores



## Solid Shelf

- Hospitals and Clinics
- Catering Units
- General storage for home and office

|  |
|--|
| 1800 mm H x 1800 mm W x 450 mm D - 5 Shelf |
| 1800 mm H x 1800 mm W x 350 mm D - 5 Shelf |
| 1800 mm H x 1500 mm W x 450 mm D - 5 Shelf |
| 1800 mm H x 1500 mm W x 350 mm D - 5 Shelf |
| 1800 mm H x 1000 mm W x 450 mm D - 5 Shelf |
| 1800 mm H x 1000 mm W x 350 mm D - 5 Shelf |



## Gondola Shelves

- Replace traditional metal shelves with Hi-Tec wire shelving
- Shelves have channels on the sides to fit over existing Gondola brackets
- Snack Shelves - curved front, double front rail
- Curved Shelves measured to widest part of the curve
- Straight Shelves - lip can be up or down

### Gondola Curved Shelves

|  |
|--|
| 914 mm H x 550 mm Front x 450 mm Sides |
| 914 mm H x 450 mm Front x 350 mm Sides |



### Gondola Straight Shelves

|                     |
|---------------------|
| 914 mm H x 450 mm W |
| 914 mm H x 380 mm W |



## Garment Rails

- Combine uprights, hang rails and shelves
- Standard foot print 1200 mm x 600 mm
- 100 mm Rubber swivel castors (non marking)

|  |
|--|
| 850 mm H x 900 mm W x 450 mm D - 2 Basket  |
| 850 mm H x 900 mm W x 600 mm D - 2 Basket  |
| 1150 mm H x 900 mm W x 450 mm D - 3 Basket |
| 1150 mm H x 900 mm W x 600 mm D - 3 Basket |
| 1550 mm H x 900 mm W x 450 mm D - 4 Basket |
| 1550 mm H x 900 mm W x 600 mm D - 4 Basket |

### Unit A

|                                  |
|----------------------------------|
| 1500 mm H x 1200 mm W x 600 mm D |
| Single Shelf Bottom              |
| 1 Hanging Rail Top               |
| 100 mm Castors                   |



### Unit B

|                                       |
|---------------------------------------|
| 1500 mm H x 1200 mm W x 600 mm D      |
| Shelves Top and Bottom                |
| 1 Hanging Rail Top                    |
| 100 mm Castors                        |
| Side Shelves Optional 600 mm x 275 mm |



### Unit C

|                                       |
|---------------------------------------|
| 1500 mm H x 1200 mm W x 600 mm D      |
| Single Shelf Bottom                   |
| 1 Hanging Rail Top                    |
| 100 mm Castors                        |
| Side Shelves Optional 600 mm x 275 mm |



# MAKE YOUR SPACE WORK FOR YOU.

Toll Free 0861 MRSHELF or 0861 677435  
[www.mrshelf.co.za](http://www.mrshelf.co.za)

**MR. SHELF**